Applicants: Joel M. Friedman and Mahantesh S. Navati

Serial No: 10/593,387 Filed: August 14, 2007

page 2 of 7

Amendments to Claims:

Please cancel Claims 1-5, 20, 21, 24, 26, 37 and 38 without prejudice or disclaimer, and add new Claims 45-54 as set forth below.

1-5. (Canceled)

- 6. (Original) A method of preparing a powdered form of a protein, which comprises:
 - (a) mixing a solution of the protein with inulin, and
 - (b) drying the mixture.
- 7. (Original) The method of claim 6, wherein the inulin is derived from Chicory Root.
- 8. (Original) The method of claim 6, which further comprises mixing a solution of the protein with inulin and with a reducing sugar, and then drying the mixture.
 - 9. (Original) The method of claim 8, wherein the reducing sugar is glucose.
 - 10. (Original) The method of claim 8, wherein the reducing sugar is tagatose.
- 11. (Previously presented) The method of claim 6, wherein the drying step comprises lyophilization.

Applicants: Joel M. Friedman and Mahantesh S. Navati

Serial No: 10/593,387 Filed: August 14, 2007

page 3 of 7

- 12. (Previously presented) The method of claim 6, wherein the drying step comprises air drying.
- 13. (Original) The method of claim 12, wherein the mixture is cooled as it is being air dried.
- 14. (Previously presented) The method of claim 6, wherein the protein is hemoglobin.

15-44. (Canceled)

- 45. (New) The method of claim 14, wherein the hemoglobin is pegylated.
- 46. (New) The method of claim 45, wherein the pegylated hemoglobin comprises one or more polyethylene glycol (PEG) molecules with a molecular weight of 200-40,000 daltons.
- 47. (New) The method of claim 46, wherein the PEGs comprise a PEG with a molecular weight of 5,000 daltons.
- 48. (New) The method of claim 45, wherein the hemoglobin is pegylated with 2-8 PEGs.
- 49. (New) The method of claim 45, wherein the hemoglobin is pegylated with 2-4 PEGs.

Applicants: Joel M. Friedman and Mahantesh S. Navati

Serial No: 10/593,387 Filed: August 14, 2007

page 4 of 7

- 50. (New) The method of claim 14, wherein the hemoglobin is oxygenated.
- 51. (New) The method of claim 50, wherein the hemoglobin is resistant to oxidation.
- 52. (New) The method of claim 50, wherein the hemoglobin is stable at room temperature.
- 53. (New) The method of claim 50, wherein the powdered hemoglobin contains no more than 20% of the met form of hemoglobin.
- 54. (New) The method of claim 50, wherein the powdered hemoglobin contains no more than 10% of the met form of hemoglobin.